ISSUE	DESCRIPTION OF IMPACT	NATURE OF IMPACT	SPATIAL SCALE (EXTENT)	TEMPORAL SCALE (DURATION)	CERTAINTY SCALE (PROBABILITY/ LIKELIHOOD)	SEVERITY / BENEFICIAL SCALE	SIGNIFICANCE PRE- MITIGATION	MITIGATION MEASURES	REVERSABILITY/ MITIGATION	SIGNIFICANCE POST- MITIGATION
					G & DESIGN PHA	SE				
			I = = =		NERAL IMPACTS	T				
TRAFFIC & TRANSPORT	Inadequate planning for the transportation of turbine parts and specialist construction equipment to the site by long and/or slow-moving vehicles could cause traffic congestion, especially if temporary road closures are required.	DIRECT CUMULATIVE	REGIONAL REGIONAL	SHORT TERM SHORT TERM	PROBABLE POSSIBLE	MODERATE SEVERE	MODERATE - HIGH-	Project planning must include a plan for traffic control that will be implemented, especially during the construction phase of the development. Consultation with the local Road Traffic Unit in this regard must be done early in the planning phase.	EASY EASY	LOW - MODERATE -
	Cumulative impact would be high should the moving of wind turbines parts for the neighbouring Taaibos and Soutrivier WEF cluster all happen on the same timelines.							The necessary road traffic permits must be obtained for transporting parts, containers, materials and construction equipment to the site.		
	No-go alternative would result in no impact related to transport of turbine parts.	NO-GO					NO	O IMPACT		
	The integrity of existing highway infrastructure such as bridges	DIRECT	REGIONAL	SHORT TERM	POSSIBLE	SLIGHT	LOW -	Careful planning of the routes taken by heavy	EASY	LOW -
	and barriers may be compromised by the heavy vehicle traffic delivering components to the site. Cumulative impact would be moderate should the moving of	CUMULATIVE	REGIONAL	SHORT TERM	POSSIBLE	SEVERE	MODERATE -	vehicles must highlight areas of road that may need to be upgraded in order to accommodate these vehicles. Once identified, these areas must be upgraded if necessary.	EASY	LOW -
	wind turbines parts for the neighbouring Taaibos and Soutrivier WEF cluster all happen on the same timelines. No-go alternative would result in no impact related to	NO-GO		I			No	O IMPACT		
STORAGE OF HAZARDOUS	transport of turbine parts. Inappropriate planning for the storage of hazardous substances such as diesel, paint, pesticides, etc, tools and	DIRECT	LOCALISED	LONG TERM	POSSIBLE	MODERATE	MODERATE -	All hazardous substances such as paints, diesel and cement must be stored in a bunded area with an	EASY	LOW -
SUBSTANCES	equipment used on site could lead to surface and ground water pollution e.g. due to oil leaks, spillage of diesel etc. In addition, these hazardous substances could be washed off into nearby drainage lines. The mixing of cement on site could result in ground water contamination from compounds in the cement. In addition, a large number of cement mixing stations	CUMULATIVE	LOCALISED	LONG TERM	POSSIBLE	SEVERE	HIGH -	 impermeable surface beneath them. Cement mixing must be conducted at a single location which must be centrally located, where practical. This mixing must take place on an impermeable surface, and dried waste cement must be disposed of with building rubble. 	EASY	LOW -
	on site could increase the presence of impermeable areas which in turn could increase rates of run-off and thereby increase the risk of localized flooding, soil erosion, silting, gully formation, etc. The proposed BESS will not trigger this activity as it will be assembled off-site. Cumulative impact would be high should the storage of hazardous good be non-compliant for the neighbouring Taaibos and Soutrivier WEF clusters. However, they are being proposed by the same developer and risk mitigation measures	NO-GO					N(O IMPACT		
ENVIRONMENTAL	and management process will be aligned in all EMPrs. No-go alternative would result in no impact related to hazardous waste as the site does not currently experience issues related to hazardous substances. Failure to adhere to existing policies and legal obligations	DIRECT	REGIONAL	LONG TERM	POSSIBLE	SEVERE	HIGH -	★ Ensure that all relevant legislation and policy is	EASY	LOW -
LEGAL AND POLICY	could lead to the project conflicting with local, provincial and	DIRECT	NATIONAL		FOSSIBLE	JEVERE	TIIGIT -	consulted and further ensure that the project is	LAST	LOW -
COMPLIANCE	national policies, guidelines and legislation. This could result in lack of institutional support for the project, overall project	CUMULATIVE	REGIONAL NATIONAL	LONG TERM	POSSIBLE	MODERATE	HIGH -	compliant with such legislation and policy. These must include (but not restricted to):	MODERATE	LOW -
	failure and undue disturbance to the natural environment. Cumulative impact would be high as there are a range of	NO-GO	REGIONAL NATIONAL	LONG TERM	POSSIBLE	MODERATE	LOW -	 Local and District Spatial Development Frameworks Local Municipal bylaws 	EASY	LOW -
	renewable energy facilities proposed within the greater area. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative could result in landowners looking at other avenues of potential income which would need to comply with environmental law and policy.							♣ In addition, planning for the construction and operation of the proposed energy facility must consider available best practice guidelines.		
STORMWATER		INDIRECT	LOCALISED	LONG TERM	POSSIBLE	MODERATE	MODERATE -	→ Structures must be located at least 32m away from	EASY	LOW -
MANAGEMENT		CUMULATIVE	LOCALISED	LONG TERM	POSSIBLE	MODERATE	MODERATE -	identified drainage lines.	MODERATE	LOW -

ISSUE	DESCRIPTION OF IMPACT	NATURE OF IMPACT	SPATIAL SCALE (EXTENT)	TEMPORAL SCALE (DURATION)	CERTAINTY SCALE (PROBABILITY/ LIKELIHOOD)	SEVERITY / BENEFICIAL SCALE	SIGNIFICANCE PRE- MITIGATION	MITIGATION MEASURES	REVERSABILITY/ MITIGATION	SIGNIFICANCE POST- MITIGATION
AND EROSION	The introduction of roads and impermeable areas could increase rates of run-off and therefore the risk of localised flooding. Cumulative impact would be moderate as there are a range of activities, including roads, which contribute to erosion at localised levels. However, these activities are not prevalent in the area. No-go alternative would still present a level of stormwater runoff and erosion due to current farming activities and existing impermeable surfaces.	NO-GO	LOCALISED	LONG TERM	POSSIBLE	MODERATE	LOW -	 A Stormwater Management Plan must be designed and implemented to ensure maximum water seepage at the source of water flow. The plan must also include management mitigation measures for water pollution, wastewater management and the management of surface erosion e.g. by considering the applicability of contouring, etc. An Erosion Management Plan must be designed and implemented to ensure minimal impact. 	DIFFICULT	LOW -
MANAGEMENT OF GENERAL WASTE	Inappropriate planning for management and disposal of waste e.g. storage disposal could result in surface and ground water	DIRECT	LOCALISED	LONG TERM	POSSIBLE	SEVERE	HIGH -	 Develop and implement a Waste Management Plan for handling on site waste. 	EASY	LOW -
	Cumulative impact, on a localised scale, would be high should the Taaibos and Soutrivier WEF clusters construction timelines	CUMULATIVE	LOCALISED	LONG TERM	POSSIBLE	SEVERE	HIGH -	 Designate an appropriate area where waste can be stored before disposal. General Waste must be disposed of at a registered landfill site. 	EASY	LOW -
	overlap. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would result in no impact related to general waste as the site does not currently experience issues	NO-GO					N	O IMPACT		
SCHEDULING OF	regarding waste. Construction scheduling that does not take into account the	INDIRECT	REGIONAL	SHORT TERM	POSSIBLE	MODERATE	MODERATE -	→ Wherever possible, construction activities must be	EASY	LOW -
CONSTRUCTION	seasonal requirements of the aquatic environment, e.g. allowing for unimpeded flood events, could lead to short-term (and potentially long-term) impacts such as excessive sediment mobilization, etc. Cumulative impact would be high should the Taaibos and Soutrivier WEF clusters be constructed at the same time.	CUMULATIVE	REGIONAL	SHORT TERM	POSSIBLE	SEVERE	HIGH -	undertaken during the driest part of the year to minimize downstream sedimentation due to excavation, etc. When not possible, suitable stream diversions structures must be used to ensure that rivers/streams are not negatively impacted by construction activity.		LOW -
	However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would result in no impact related to construction scheduling as no other construction, that we are aware of, is planned on site.	NO-GO					N	O IMPACT		
		,								
				CONST	TRUCTION PHASE					
NUISANCE DUST		DIRECT	LOCALISED		FRUCTION PHASE ENERAL IMPACTS PROBABLE	MODERATE	MODERATE -	→ Fugitive/nuisance dust must be reduced by	EASY	LOW -
	Dust is likely to be a potential nuisance due to the construction activities. Cumulative impact would be moderate should the Taaibos and Soutrivier WEF clusters be constructed during the same period. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would result in no impact related to construction nuisance dust as no other construction activities, that we are aware of, are planned on site.	CUMULATIVE NO-GO	LOCALISED	SHORT TERM SHORT TERM	PROBABLE POSSIBLE	MODERATE	MODERATE - MODERATE -	 Fugitive/nuisance dust must be reduced by implementing one of or a combination of the following: Damping down of un-surfaced and unvegetated areas; Retention of vegetation where possible; Excavations and other clearing activities must only be done during agreed working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas; A speed limit of 40km/h must not be exceeded on dirt roads; Any complaints or claims emanating from the lack of dust control must be attended to immediately by the Contractor. O IMPACT 	EASY	LOW -
NUISANCE DUST	Dust is likely to be a potential nuisance due to the construction activities. Cumulative impact would be moderate should the Taaibos and Soutrivier WEF clusters be constructed during the same period. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would result in no impact related to construction nuisance dust as no other construction activities,	CUMULATIVE		GE SHORT TERM	PROBABLE		MODERATE -	 implementing one of or a combination of the following: Damping down of un-surfaced and unvegetated areas; Retention of vegetation where possible; Excavations and other clearing activities must only be done during agreed working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas; A speed limit of 40km/h must not be exceeded on dirt roads; Any complaints or claims emanating from the lack of dust control must be attended to immediately by the Contractor. 		

ISSUE	DESCRIPTION OF IMPACT	NATURE OF IMPACT	SPATIAL SCALE (EXTENT)	TEMPORAL SCALE (DURATION)	CERTAINTY SCALE (PROBABILITY/ LIKELIHOOD)	SEVERITY / BENEFICIAL SCALE	SIGNIFICANCE PRE- MITIGATION	MITIGATION MEASURES	REVERSABILITY/ MITIGATION	SIGNIFICANCE POST- MITIGATION
	vegetation might lead to the burning of surrounding vegetation. Cumulative impact would be moderate should the Taaibos and Soutrivier WEF clusters be constructed during the same period. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would still retain a fire risk as fires are a natural occurrence.	NO-GO	LOCALISED	LONG TERM	POSSIBLE	SEVERE	HIGH -	 Cooking and burning of vegetation is not permitted on site. Smoking on site must be confined to a designated area in the vicinity of the site office which must be equipped with the necessary fire extinguishers. Develop and implement a Fire Management Plan. 	MODERATE	MODERATE -
STORMWATER MANAGEMENT	Sediment is likely to be created during construction. This could be washed off into the nearby drainage line e.g. during the	DIRECT	LOCALISED	SHORT TERM	POSSIBLE	MODERATE	MODERATE -	The recommendations of the Stormwater Management Plan must be implemented to avoid	MODERATE	LOW -
WANAGEWENT	excavation of foundations, the laying of access roads within	CUMULATIVE	LOCALISED	SHORT TERM	POSSIBLE	SEVERE	HIGH -	soil erosion and siltation of drainage line. The recommendations of the Erosion Management	MODERATE	LOW -
	the site, digging of cable runs and soil stripping and stockpiling to create foundations and temporary areas of hard-standing, such as the construction camp. Cumulative impact would be high should the Taaibos and	NO-GO	LOCALISED	SHORT TERM	POSSIBLE	LOW	LOW -	Plan must be implemented to reduce the risk of soil erosion.	MODERATE	LOW -
	Soutrivier WEF clusters be constructed during the same period. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would still present a level of stormwater runoff and erosion due to current farming activities and existing impermeable surfaces.									
DEGRADATION OF DRAINAGE LINES	Unplanned construction activities or earthworks that occur close to onsite drainage lines could cause adverse impacts	DIRECT CUMULATIVE	LOCALISED LOCALISED	SHORT TERM SHORT TERM	POSSIBLE POSSIBLE	SEVERE SEVERE	HIGH -	There must be no earthworks, apart from roadworks inclusive of culverts, within 32m of the	MODERATE MODERATE	LOW -
FROM EARTHWORKS	such as soil erosion, siltation, and blockage of the drainage line.	3311132711112	100/11/015		. 656.1522	0202112		drainage lines to avoid contamination of water sources.	MOSEMME	10.11
	Cumulative impact would be high as there are a range of activities, including roads, substations, overhead lines and neighbouring WEFs which could contribute to the degradation of drainage lines at localised levels if not properly managed during construction. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would have no impact as there are currently no earthworks activities on site that we are aware of.									
MANAGEMENT OF	Littering by construction workers could cause surface and	INDIRECT	STUDY AREA	LONG TERM	POSSIBLE	MODERATE	MODERATE -	▲ A Waste Management Plan, incorporating		LOW -
GENERAL WASTE	ground water pollution. Cumulative impact, on a localised scale, would be high should the Taaibos and Soutrivier WEF clusters construction timelines	CUMULATIVE	STUDY AREA	LONG TERM	POSSIBLE	SEVERE	HIGH -	recycling and waste minimisation, must be implemented. The Waste Management Plan must be explained to all employees as part of the environmental induction training.	EASY	LOW -
	overlap. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would result in no impact related to general waste as the site does not currently experience issues regarding waste.	NO-GO					NO	O IMPACT		
HAZARDOUS SUBSTANCES	Onsite maintenance of construction vehicles/machinery and equipment could result in oil, diesel and other hazardous chemicals contaminating surface and ground water. Surface and ground water pollution could arise from the spillage or leaking of diesel, lubricants and cement during construction activities.	DIRECT	LOCALISED	LONG TERM	POSSIBLE	MODERATE	MODERATE -	 The storage of fuels and hazardous materials must be located away from sensitive water resources. All hazardous substances (e.g. diesel, oil drums, etc.) must be stored in a bunded area. The recommendations of the Stormwater Management Plan and the Waste Management Plan must be implemented during construction. 	MODERATE	LOW -

ISSUE	DESCRIPTION OF IMPACT	NATURE OF IMPACT	SPATIAL SCALE (EXTENT)	TEMPORAL SCALE (DURATION)	CERTAINTY SCALE (PROBABILITY/ LIKELIHOOD)	SEVERITY / BENEFICIAL SCALE	SIGNIFICANCE PRE- MITIGATION	MITIGATION MEASURES	REVERSABILITY/ MITIGATION	SIGNIFICANCE POST- MITIGATION
	Cumulative impact would be null as no other new activities, which include the use of hazardous substances are planned for this site (localised impact). No-go alternative would result in no impact related to hazardous waste as the site does not currently experience issues related to hazardous substances.	NO-GO						IO IMPACT		
MANAGEMENT OF CONSTRUCTION	Waste from construction activities e.g. excess concrete and cement mixture, empty paint containers, oil containers, etc.,	DIRECT	STUDY AREA	SHORT TERM	POSSIBLE	MODERATE	MODERATE -	A Waste Management Plan for the project must be developed and implemented in the construction	MODERATE	LOW -
WASTE	could cause pollution of ground and surface water when they come into contact with run-off water. Cumulative impact, on a localised scale, would be moderate should the Taaibos and Soutrivier WEF clusters construction timelines overlap. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would result in no impact related to construction waste as the site does not currently have any	CUMULATIVE NO-GO	STUDY AREA	SHORT TERM	POSSIBLE	MODERATE	MODERATE -	phase. All waste must be disposed of at an appropriately licensed landfill site. All construction materials must be stored in a central and secure location with controlled access with an appropriate impermeable surface. The recommendations of the Stormwater Management Plan must be implemented to mitigate the impacts of run-off water on pollution.	MODERATE	LOW -
	construction activities taking place.									
WATER QUALITY	Wet concrete is highly alkaline. This could result in flash kills	DIRECT	LOCALISED	SHORT TERM	PROBABLE	MODERATE	MODERATE -	→ No concrete mixing will take place within 32m of	EASY	LOW -
	of macroinvertebrates and fish species in the vicinity. Soil erosion will decrease the quality of the aquatic habitat downstream of the construction activities by silting over	CUMULATIVE	LOCALISED	SHORT TERM	POSSIBLE	SEVERE	HIGH -	 any watercourse. The concrete batching plant must be clearly demarcated, and no sprawl must be tolerated. 	EASY	LOW -
	Cumulative impact, on a localised scale, would be high should the Taaibos and Soutrivier WEF clusters construction timelines overlap. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would result in no impact related to concrete contamination of watercourses as the site does not currently have any construction activities taking place.									
INFILLING/ EXCAVATION IN A WATERCOURSE	Excavated material stockpiles may increase sediment loads in watercourses during rainfall events. Materials used for the infilling of watercourses in order to construct water crossings may not be compatible with the surrounding bed/banks, etc., which could change the characteristics of the watercourse. Cumulative impact, on a localised scale, would be moderate should the Taaibos and Soutrivier WEF clusters construction timelines overlap. However, it is important to note that the 5	INDIRECT CUMULATIVE	LOCALISED	SHORT TERM SHORT TERM	POSSIBLE POSSIBLE	MODERATE MODERATE	MODERATE -	 Stockpiled excavated material must not be stored within 32m of a watercourse. Stockpile areas must be suitably bunded to prevent waterborne erosion of exposed soils where there is a likelihood that the soils will be washed into a watercourse. Materials used for infilling must be suitably stabilized to ensure that scour and erosion of the existing bed/banks is exacerbated. 	EASY EASY	LOW -
	WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same	CUMULATIVE						IO IMPACT		
	standard. No-go alternative would result in no impact related to excavated stockpiles as the site does not currently have any construction activities taking place.	NO-GO						IO IMPACT		
DISPOSAL OF SPOIL	Incorrect disposal of subsoil/spoil material could result in	DIRECT	LOCALISED	MEDIUM TERM	POSSIBLE	MODERATE	MODERATE -	★ Subsoil cannot be disposed of onsite without the ★ Subsoil cannot be disposed of onsite without the ★ Subsoil cannot be disposed of onsite without the ★ Subsoil cannot be disposed of onsite without the ★ Subsoil cannot be disposed of onsite without the ★ Subsoil cannot be disposed of onsite without the ★ Subsoil cannot be disposed of onsite without the ★ Subsoil cannot be disposed of onsite without the ★ Subsoil cannot be disposed of onsite without the ★ Subsoil cannot be disposed of onsite without the ★ Subsoil cannot be disposed of onsite without the ★ Subsoil cannot be disposed of onsite without the ★ Subsoil cannot be disposed of onsite without the ★ Subsoil cannot be disposed of onsite without the ★ Subsoil cannot be disposed of the ★ Subsoil cannot be dis		LOW -
MATERIAL	significant loss of a useful resource. Cumulative impact, on a localised scale, would be moderate should the Taaibos and Soutrivier WEF clusters construction	CUMULATIVE	LOCALISED	MEDIUM TERM	POSSIBLE	MODERATE	MODERATE-	 appropriate Waste License in terms of the NEMA: Waste Act. Spoil could be used to rehabilitate open borrow pits or erosion features. 	EASY	LOW -

ISSUE	DESCRIPTION OF IMPACT	NATURE OF IMPACT	SPATIAL SCALE (EXTENT)	TEMPORAL SCALE (DURATION)	CERTAINTY SCALE (PROBABILITY/ LIKELIHOOD)	SEVERITY / BENEFICIAL SCALE	SIGNIFICANCE PRE- MITIGATION	MITIGATION MEASURES	REVERSABILITY/ MITIGATION	SIGNIFICANCE POST- MITIGATION
	timelines overlap. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard.							 Disposal of spoil material to a registered landfill must be the last option. No spoil stockpiles will be allowed to remain onsite once construction activities have ceased. 		
	No-go alternative would result in no impact related to disposal of spoil materials as the site does not currently have any construction activities taking place.	NO-GO					NC	DIMPACT		
				OPE	RATIONAL PHASE					
				GE	NERAL IMPACTS					
AIR QUALITY CLIMATE CHANGE	The electricity generated by the development will displace some of that produced by fossil fuel-based forms of electricity	DIRECT	NATIONAL	LONG TERM	DEFINITE	BENEFICIAL	HIGH +	Enhance this impact by promoting the use of renewable energy locally.	EASY	HIGH +
	generation. The scheme, over its lifetime, will therefore avoid	CUMULATIVE	NATIONAL	LONG TERM	DEFINITE	BENEFICIAL	HIGH +		EASY	HIGH +
	the production of a significant amount of CO ₂ , SO ₂ and NO ₂ that would otherwise be emitted to the atmosphere. Cumulative impact, on a localised scale, would be high as the area has a number of renewable energy facilities proposed,	NO-GO	NATIONAL	LONG TERM	UNLIKELY	SLIGHT	LOW -		EASY	LOW -
	inclusive of the5 WEF cluster of Taaibos and Soutrivier. No-go alternative would result in a low negative impact as local power would not be offset by additional renewable energy.			1010-7704					5100	
ARCHITECTURE OF ANCILLARY INFRASTRUCTURE	Control buildings, toilet facilities and other ancillary infrastructure could cause negative visual intrusion if allowed to fall into disrepair and not maintained properly.	DIRECT	LOCALISED	LONG TERM	PROBABLE	MODERATE	MODERATE -	All project structures and buildings must be maintained.	EASY	LOW -
	Cumulative impact, on a localised scale, would be moderate	CUMULATIVE	LOCALISED	LONG TERM	POSSIBLE	MODERATE	MODERATE -		EASY	LOW -
	should the Taaibos and Soutrivier WEF clusters operational timelines overlap. However, it is important to note that the 5	NO-GO) IMPACT		
	WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would result in no impact related to architecture of ancillary infrastructure.									
HAZARDOUS	Inappropriate storage of chemical, herbicides, diesel and	DIRECT	LOCALISED	LONG TERM	POSSIBLE	SEVERE	HIGH -	All hazardous substances must be stored in	EASY	MODERATE -
CHEMICAL	other hazardous substances on site could result in soil and	CUMULATIVE	LOCALISED	LONG TERM	POSSIBLE	SEVERE	HIGH -	appropriately bunded locations.	EASY	MODERATE -
STORAGE	water contamination and pose a high accident danger risk.	NO-GO					NC	IMPACT		
	Cumulative impact, on a localised scale, would be high should the Taaibos and Soutrivier WEF clusters operational timelines overlap. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would result in no impact related to hazardous waste as the site does not currently experience issues related to hazardous substances.				,					
INCREASED	Failure to maintain the stormwater system could increase the	DIRECT	LOCALISED	LONG TERM	POSSIBLE	MODERATE	MODERATE -	Recommendations of the Stormwater	EASY	LOW -
STORMWATER RUN-OFF	risk of surface water damage to the landscape and vegetation from increased rates of run-off and therefore the risk of localised flooding and increased sheet erosion downstream	CUMULATIVE	LOCALISED	LONG TERM	POSSIBLE	MODERATE	MODERATE -	Management Plan and Erosion Management Plan must be implemented.	EASY	LOW -
	due to the presence of roads and impermeable areas of hard standing.	NO-GO	LOCALISED	LONG TERM	POSSIBLE	LOW	LOW -		MODERATE	LOW -
	Cumulative impact, on a localised scale, would be high should the Taaibos and Soutrivier WEF clusters operational timelines overlap. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard.									

ISSUE	DESCRIPTION OF IMPACT	NATURE OF IMPACT	SPATIAL SCALE (EXTENT)	TEMPORAL SCALE (DURATION)	CERTAINTY SCALE (PROBABILITY/ LIKELIHOOD)	SEVERITY / BENEFICIAL SCALE	SIGNIFICANCE PRE- MITIGATION	MITIGATION MEASURES	REVERSABILITY/ MITIGATION	SIGNIFICANCE POST- MITIGATION
	No-go alternative would still present a level of stormwater runoff and erosion due to current farming activities and existing impermeable surfaces.									
WASTE MANAGEMENT	There could be littering by maintenance workers and security personnel on site.	DIRECT	STUDY AREA	MEDIUM TERM MEDIUM TERM	POSSIBLE	MODERATE	MODERATE -	A Waste Management Plan, incorporating recycling and waste minimisation, must be	EASY	LOW -
MANAGEMENT	Cumulative impact, on a localised scale, would be moderate should the Taaibos and Soutrivier WEF clusters operational	CUMULATIVE	STUDY AREA	MEDIOW TERM	POSSIBLE	MODERATE		implemented. The Waste Management Plan must be implemented throughout the operational phase.	EASY	LOW -
	timelines overlap. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would result in no impact related to general waste as the site does not currently experience issues	NO-GO					NC	O IMPACT		
	regarding waste.			DECOMI	AISSIONING PHAS	SE				
				GE	NERAL IMPACTS					
POLLUTION	Littering by construction workers could cause surface and	DIRECT	STUDY AREA	SHORT TERM	POSSIBLE	MODERATE	MODERATE -	→ Littering must be avoided, and litter bins must be	EASY	LOW -
	ground water pollution. Cumulative impact, on a localised scale, would be moderate should the Taaibos and Soutrivier WEF clusters	CUMULATIVE	STUDY AREA	SHORT TERM	POSSIBLE	MODERATE	MODERATE -	 made available at various strategic points on site. Refuse from the decommissioning of the site must be collected on a regular basis and deposited at an appropriate landfill. 	EASY	LOW -
	decommissioning timelines overlap. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would result in no impact related to general waste as the site does not currently experience issues regarding waste.	NO-GO) IMPACT		
	Onsite maintenance of construction vehicles/machinery and	DIRECT	STUDY AREA	SHORT TERM	POSSIBLE	MODERATE	MODERATE -	No storage of fuels and hazardous materials must	EASY	LOW -
	equipment could result in oil, diesel and other hazardous chemicals contaminating surface and ground water. Surface and ground water pollution could arise from the spillage or	CUMULATIVE	STUDY AREA	SHORT TERM	POSSIBLE	MODERATE	MODERATE -	be permitted near sensitive water resources. All hazardous substances (e.g. diesel, oil drums, etc.) to be stored in a bunded area.	EASY	LOW -
	leaking of diesel, lubricants, etc. during decommissioning.	CUMULATIVE						IMPACT		
	Cumulative impact, on a localised scale, would be moderate should the Taaibos and Soutrivier WEF clusters decommissioning timelines overlap. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would result in no impact related to hazardous waste as the site does not currently experience issues related to hazardous substances.	NO-GO						DIMPACT		
DUST	Dust is likely to be a potential nuisance due to the decommissioning activities.	DIRECT CUMULATIVE	LOCALISED LOCALISED	SHORT TERM SHORT TERM	PROBABLE POSSIBLE	MODERATE MODERATE	MODERATE - MODERATE -	Management of fugitive/nuisance dust could be implemented through the following:	EASY EASY	LOW -
	Cumulative impact, on a localised scale, would be moderate should the Taaibos and Soutrivier WEF clusters decommissioning timelines overlap. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would result in no impact related to decommissioning nuisance dust as no other decommissioning activities should be taking place on the site, that we are aware of.				. SSSISEE			 Damping down of un-surfaced and unvegetated areas; Retention of vegetation where possible; Demolitions and other clearing activities must only be done during agreed working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas; A speed limit of 40km/h must not be exceeded on dirt roads. Any complaints or claims emanating from the lack of dust control must be attended to immediately by the Contractor. 		

ISSUE	DESCRIPTION OF IMPACT	NATURE OF IMPACT NO-GO	SPATIAL SCALE (EXTENT)	TEMPORAL SCALE (DURATION)	CERTAINTY SCALE (PROBABILITY/ LIKELIHOOD)	SEVERITY / BENEFICIAL SCALE	SIGNIFICANCE PRE- MITIGATION	MITIGATION MEASURES D IMPACT	REVERSABILITY/ MITIGATION	SIGNIFICANCE POST- MITIGATION
TRAFFIC & TRANSPORT	A high number of heavy vehicle movements will occur during the decommissioning phase. This may have a detrimental effect on sensitive receptors.	DIRECT CUMULATIVE	LOCALISED LOCALISED	SHORT TERM SHORT TERM	POSSIBLE POSSIBLE	MODERATE MODERATE	MODERATE - MODERATE -	 Construction vehicles and machinery must make use of existing infrastructure such as roads as far as possible to minimise disturbance on the 	MODERATE MODERATE	LOW -
	Cumulative impact, on a localised scale, would be moderate should the Taaibos and Soutrivier WEF clusters decommissioning timelines overlap. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would result in no impact related to traffic and transport as no other decommissioning activities should be taking place on the site, that we are aware of.	NO-GO					NC	receiving environment. O IMPACT		
SOIL EROSION	After the removal of all wind turbine related structures, the	DIRECT	LOCALISED	SHORT TERM	POSSIBLE	MODERATE	MODERATE -	After the removal of all wind turbine-related	EASY	LOW -
	disturbed soils could become exposed, unstable and prone to erosion. Cumulative impact, on a localised scale, would be moderate	CUMULATIVE	LOCALISED	SHORT TERM	POSSIBLE	MODERATE	MODERATE -	structures, the disturbed soils must be revegetated to avoid unnecessary soil erosion. This must be based on the Revegetation Plan and the Erosion Management Plan.	EASY	LOW -
	should the Taaibos and Soutrivier WEF clusters decommissioning timelines overlap. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would result in no impact related to soil erosion as a result of turbine removal as no other WEFs are planned on this site.	NO-GO					NC	O IMPACT		
LAND-USE	Land previously unavailable for certain types of land use will	DIRECT	LOCALISED	LONG TERM	POSSIBLE	MODERATE	LOW +	No mitigation necessary	MODERATE	LOW +
	now be available for those uses.	CUMULATIVE	LOCALISED	LONG TERM	POSSIBLE	MODERATE	LOW +		MODERATE	LOW +
	Cumulative impact, on a localised scale, would be moderate should the Taaibos and Soutrivier WEF clusters decommissioning timelines overlap. However, it is important to note that the 5 WEFs and their associated infrastructure are proposed by the same developer and the EMPrs will be prepared to the same standard. No-go alternative would result in no impact as the site will return to what it was used for before, i.e. the current status quo.	NO-GO					NC	O IMPACT		